LODES

A-Tube Nano,
design by Studio Italia Design, 2016

Suspension

A–Tube Nano is a suspension light which interprets light in its simplest form by creating a thin luminous line in the living spaces. At the lower end of the lightweight aluminium structure, a transparent methacrylate diffuser houses an LED module whose light creates a soft, welcoming atmosphere. The three sizes and six statement finishes allow to create clusters of evocative lighting.



A–Tube Nano Small



Light source

LED
- 2700 K
- 1 × 3W | 400 lm
- 350mA
- CRI 90
- MacAdam 3-Step

LED and driver included

Frame Aluminium	Diffuser: Methacrylate	Code
Matte White 9010	Clear	158016
Chrome	Clear	158018
Gold	Clear	158020
Rose Gold	Clear	158019
Matte Black 9005	Clear	158017
Matte Champagne	Clear	158051

Net weight: 0.25 kg | Gross weight: 1.05 kg | Parcels: N°2 | Volume: 0.006 m³

CE IP40 EAC Energy Saving Dim Triac

A–Tube Nano Medium



Light source

LED
- 2700 K
- 1 × 3W | 400 lm
- 350mA
- CRI 90
- MacAdam 3-Step

LED and driver included

Frame Aluminium	Diffuser: Methacrylate	Code
Matte White 9010	Clear	158021
Chrome	Clear	158023
Gold	Clear	158025
Rose Gold	Clear	158024
Matte Black 9005	Clear	158022
Matte Champagne	Clear	158052

Net weight: 0.30 kg | Gross weight: 1.10 kg | Parcels: N°2 | Volume: 0.006 m³

CE IP40 EAC Energy Saving Dim Triac

LODES

A–Tube Nano Large



LED
- 2700 K
- 1 × 3W | 400 lm
- 350mA
- CRI 90
- MacAdam 3-Step

LED and driver included

Frame Aluminium	Diffuser: Methacrylate	Code
Matte White 9010	Clear	158026
Chrome	Clear	158028
Gold	Clear	158030
Rose Gold	Clear	158029
Matte Black 9005	Clear	158027
Matte Champagne	Clear	158053

Net weight: 0.59 kg	Gross weight: 1.29 kg	Parcels: N°2	Volume: 0.007 m³

CE IP40 EAC Energy Saving Dim Triac

Polar diagram



A–Tube Nano Small

LED
- 2700 K
- 1 × 3W | 400 lm
- 350mA
- CRI 90
- MacAdam 3-Step

LED and driver included

LODES

Polar diagram



A–Tube Nano Medium

LED
- 2700 K
- 1 × 3W | 400 lm
- 350mA
- CRI 90
- MacAdam 3-Step

LED and driver included

Polar diagram



A–Tube Nano Large

LED
- 2700 K
- 1 × 3W | 400 lm
- 350mA
- CRI 90
- MacAdam 3-Step

LED and driver included