LODES


Puzzle Round, design by Studio Italia Design, 2016

Wall


With its soft forms, flexible joints and LED light source, Puzzle Round can be adjusted at will to create suggestive plays of light on the walls and ceiling. The discrete design and choice of three finishes make them perfect for various living spaces.

Puzzle Round Single	Light source	Frame Aluminium	Diffuser:	Code
	LED • 3000 K	Matte White 9016	_	159002
	 1 × 17W 1800 lm 220-240V CRI 92 MacAdam 3-Step 	Coppery Bronze	_	159005
	LED and driver included	Matte Black 9005	_	159010
	LED • 2700 K	Matte White 9016	_	159001
	 1 × 17W 1700 lm 220-240V CRI 92 MacAdam 3-Step 	Coppery Bronze	_	159007
	LED and driver included	Matte Black 9005	_	159009
Net weight: 0.60 kg Gross weigh	t: 0.92 kg Parcels: N°1 Volume: 0.0	13 m ³ CE [IP20 Energy Sav	ring 🛞 🛛 Dim Triac 🧔

LODES



Polar diagram



Puzzle Round Single

LED

- 2700 K
- 2 × 17W | 3400 lm
 220-240V

• CRI 92

MacAdam 3-Step


LED and driver included

LED

- 3000 K
- 2 × 17W | 3600 lm
- 220-240V
- CRI 92
- MacAdam 3-Step

LED and driver included

LODES



Other applications of Puzzle Round



Ceiling