




Bathtubs Ottocento
AVAS0969_

Benedini Associati, 2010

Bathtub with waste and overflow
connection in chrome finish



Finishes



White Cristalplant® biobased



Cristalplant® biobased white/dark
grey



Cristalplant® biobased white/light
grey

Classical bathtub made from Cristalplant® biobased, available in white or two colour (exterior in dark grey RAL7021 or light grey RAL 7044) outside, with feet of the same material. Available in two measures: Ottocento (cm 178 - 70") and Ottocento Small (cm 155 - 61") and in a built-in version. Supplied with external waste and external overflow connection .MET1516 (available in chrome or brushed chrome or brushed burnished finish) also suitable for bathtubs in display; without tap holes. Taps can be wall or floor mounted.


The two-coloured model can be made in a colour chosen by the client with a surcharge of 15%.




Materials used: Cristalplant® biobased.

Height:	59.5 cm	23" 3/8 inches
Depth:	79.0 cm	31" 1/8 inches
Length:	178.0 cm	70" inches
Capacity:	270.0 l	71 gal
Weight:	54.0 kg	119 lbs
Packaging measurements:	92 x 191 x 70 cm	36"2/8 x 75"2/8 x 27"4/8 inches
Weight with packaging:	99.0 kg	218 lbs





Main dimensions







Dimensions for wall mounted taps





	A*	B**
FEZ (ARUB050000L, ARUB051000L, ARUB150000C, ARUB151000C, ARUB1089S, ARUB190000C, ARUB191000C, ARUB1091S)	700 (27\"1/2)	-
MEMORY (ARUB1076S, ARUB1077S, ARUB1040S)	700 (27\"1/2)	-
SQUARE (ARUB0932N, ARUB0933N, ARUB1118)	-	700 (27\"1/2)
SEN (ASEN0912V)	-	700 (27\"1/2)

* inserasse gruppo / axial distance for tap
** filo inferiore gruppo / Tap's lower edge





Dimensions for freestanding spouts



	A	B	C	D
FEZ (ARUB140, RAUB145, ARUB170N)	80 (3"1/8)	165 (6"1/2)	575 (22"41/64)	1070 (42"1/8)
MEMORY (ARUB1078, ARUB1072, ARUB1033)	80 (3"1/8)	165 (6"1/2)	575 (22"41/64)	1070 (42"1/8)
SQUARE (ARUB0961L, ARUB0934L, ARUB0935NL, ARUB0936NL, ARUB0952L, ARUB1024N, ARUB1112, ARUB1115)	80 (3"1/8)	165 (6"1/2)	575 (22"41/64)	1070 (42"1/8)
SEN (ASEN0911)	80 (3"1/8)	125 (4"59/64)	520 (20"15/32)	1015 (39"15/16)




Dimensions for tap support





Note



La vasca deve essere installata su un pavimento perfettamente piano.
The bathtub must be positioned on a flat floor surface.

Evitare di realizzare impianti di riscaldamento nell'area sottostante la vasca.
Avoid the installation of floor heating plants in the area under the bathtub.