

ShowerSelect Comfort S
Thermostat for concealed installation
Finish: **Brushed Bronze** Article Number: **15559140**



Description

product features

- temperature and water flow control
- water flow control with stop function
- thermostat cartridge
- maximum flow rate at 3 bar: 34,8 l/min
- flow rate upper outlet: 32 l/min
- flow rate lower outlet: 32 l/min
- flow rate by simultaneous use of all outlets: 34,8 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- flat escutcheon for more space in the shower
- escutcheon can be aligned by +/- 3°
- easy installation due to pre-assembled function block
- handles always at the same height regardless of the installation depth of the basic set
- Safety stop at 40 °C
- temperature limitation adjustable
- the thermostat offers the possibility for thermal disinfection
- material handles: metal
- connection type: basic set iBox universal 2 (# 01500180)


Technology




Design awards



Product image




Scale drawing



ShowerSelect Comfort S
Thermostat for concealed installation
 Finish: **Brushed Bronze** Article Number: **15559140**



Flowchart




ShowerSelect Comfort S
Thermostat for concealed installation
 Finish: **Brushed Bronze** Article Number: **15559140**



Exploded Drawing

Year of production: >09/23



ShowerSelect Comfort S
Thermostat for concealed installation
Finish: **Brushed Bronze** Article Number: **15559140**



Spare part list

Year of production: >09/23

Pos.	Description	Article Number	PC	PU
1	handle for thermostat	94931140	58	1
2	handle	94932140	57	1
3	cover	94941140	59	1
4	cover	94940140	59	1
5	sealing set	94933000	2	1
6	sub plate	94934000	14	1
7	compensation set	94930000	3	1
8	hexagon socket screw M4x12	94929000	2	1
9	thermostat cartridge	96633000	15	1
10	sealing set	96636000	10	1
11	O-ring 38x2,5	98198000	2	1
12	O-ring 34x2	98383000	2	1
13	O-ring 43x1,5	98148000	1	1
14	shut off unit right closing	94009000	9	1
15	service unit	94928000	8	1
16	O-ring 16x2,5	98134000	1	1
17	extension 5 mm	13614140	98	1
18	extension 22 mm	13624140	98	1
19	extension 25 - 75 mm	13632000	98	1
20	extension 25 mm	13638000	98	1
a	concealed item	01500180	98	1
b	set of adapters	13588000	98	1
c	service tool	87567000	1	1