

## Logis

### Bath spout

Finish: **Chrome**

Article Number: **71410000**



## Description

### product features

- 1 function
- connection type: G 3/4
- with escutcheon
- projection: 195 mm
- wall-mounted
- maximum flow rate at 3 bar: 21 l/min
- connection dimension: DN20
- spray type: normal spray


## Technology




## Certificates / Sustainability




## Product image



## Scale drawing



## Flowchart



The consumption was measured in combination with the appropriate fittings (thermostat/mixer/ in-wall valve) to reflect actual application in practice.

**Logis**

**Bath spout**


Finish: **Chrome**

Article Number: **71410000**



## Exploded Drawing

Year of production: >01/15



## Logis

### Bath spout

Finish: **Chrome**

Article Number: **71410000**



## Spare part list

Year of production: >01/15

| Pos. | Description                                     | Article Number | PC | PU |
|------|-------------------------------------------------|----------------|----|----|
| 1    | aerator M24x1 (30 l/min)                        | 92360000       | 4  | 1  |
| 2    | pin                                             | 97766000       | 1  | 1  |
| 3    | escutcheon 79 / 79 mm                           | 95283000       | 9  | 1  |
| 4    | connecting thread G <sup>3</sup> / <sub>4</sub> | 92504000       | 11 | 1  |
| 5    | O-ring 13x2                                     | 98128000       | 1  | 1  |